



sales@mccallumhinges.com.au

www.mccallumhinges.com.au



Quality Products Since 1939

About McCallum Australia

McCallum Australia has been manufacturing high quality hardware products for the Australian market since 1939.

Our products are designed and developed in Australia, made from the highest quality materials and processes to exceed the high demands of Australian Standards and the market.

McCallum Australia is the pre-eminent hinge manufacturer for Australia. Our products have been used in hundreds of thousands of projects across Australia – including some of the most prominent such as, The Sydney Opera House, New Parliament House Canberra, and Crown Casino.

McCallum's pioneered the extruded aluminium hinge that features aluminium pressed endcaps, keyed flanged nylon bearings and stainless-steel hinge pins. We have included these innovative design features in our popular heavy duty fast-fix hinge range.

Our range of products are used extensively throughout the Australian market and are sort after by tradespeople, specifiers and technicians for new projects, repairs, refurbishments, and retrofits.

McCallum Australia products are sought for their key attributes:

- Quality
- Reliability
- Technical innovation
- Value

We support this with a focus on strong customer support.

McCallum representatives and stockists would be pleased to discuss and offer advice regarding your hardware requirements.

For additional technical information please contact us

+61 2 9698 5111

sales@mccallumhinges.com.au





Quality Hinges Since 1939

UNIT 1/5 VOYAGER CIRCUIT GLENDENNING NSW 2761
PH: (02) 9698 5111 FAX: (02) 9698 5055
www.mccallumhinges.com.au
EMAIL: sales@mccallumhinges.com.au

Cavity Sliding Door Locks




CONTENTS

CLR620	-----	P82
CLR621	-----	P83
CLR622	-----	P84
CLR623	-----	P85
CLS620	-----	P86
CLS621	-----	P87
CLS622	-----	P88
CLS623	-----	P89

Round Cavity Sliding Door Lock

Code No.CLR620



APPLICATION

- Suitable for internal sliding door that require locking.

SPECIFICATION

- Function: Sliding Entrance Lock
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Round 63mm diameter
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing




FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLR620

Round Cavity Sliding Door Privacy Lock

Code No.CLR621



APPLICATION

- Ideally suited for internal sliding doors to bathrooms & WC's.

SPECIFICATION

- Function: Sliding Privacy Lock
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Round 63mm diameter
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing




FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLR621

Round Cavity Sliding Door Indicator Privacy Lock

Code No.CLR622



APPLICATION

- Ideally suited for internal sliding doors to bathrooms & WC's.

SPECIFICATION

- Function: Sliding Privacy Indicator Lock
- External Indicator: RED shows Occupied GREEN shows Vacant
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Round 63mm diameter
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing


FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLR622

Round Cavity Sliding Door Passage Lock

Code No.CLR623



APPLICATION

- Ideally suited for internal sliding doors.

SPECIFICATION

- Function: Sliding Passage Lock
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Round 63mm diameter
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY



- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing

FINISH


- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black



Code No.CLR623

Square Cavity Sliding Door Lock

Code No.CLS620



APPLICATION

- Suitable for internal sliding door that require locking.

SPECIFICATION

- Function: Sliding Entrance Lock
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Square 63 x 63mm
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing


FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLS620

Square Cavity Sliding Door Privacy Lock

Code No.CLS621




APPLICATION

- Ideally suited for internal sliding doors to bathrooms & WC's.

SPECIFICATION

- Function: Sliding Privacy Lock
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Square 63 x 63mm
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed




INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing






FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLS621

Square Cavity Sliding Door Indicator Privacy Lock

Code No.CLS622



APPLICATION

- Ideally suited for internal sliding doors to bathrooms & WC's.

SPECIFICATION

- Function: Sliding Privacy Indicator Lock
- External Indicator: RED shows Occupied GREEN shows Vacant
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Square 63 x 63mm
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing


FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLS622

Square Cavity Sliding Door Passage Lock

Code No.CLS623



APPLICATION

- Ideally suited for internal sliding doors.

SPECIFICATION

- Function: Sliding Passage Lock
- Latch/Bolt: 60mm backset Tubular Hook Bolt
- Escutcheons: Square 63 x 63mm
- Strike Plate: Stainless Steel 304 grade 85 x 25mm
- Strike Box: Stainless Steel 304 grade Adjustable Strike
- Handing: Non-Handed

INSTALLATION GUIDE ONLY

- Door Thickness: 32-40mm
- Cross Bore hole: 25mm Latch & 54mm Face holes

FIXING

- All fixings supplied
- Fixing cage supplied to secure the Escutcheon through door fixing

FINISH

- SC - Satin Chrome
- CP - Chrome Plate
- BLK - Black

Code No.CLS623

